



Test Updates & Delays

Test Updates of 03/11/2026

Test Code	Test Name	Performing Lab	Test Link	Date Effective	CPT	Client Price
LAB136	Triiodothyronine Total	MODM	Triiodothyronine Total	TBD	84480	N/A

Comments: Plasma is no longer an acceptable specimen type for testing. Only serum collected in Gold SST or Red Top tubes will be accepted.

Test Delays of 03/11/2026

Test Code	Test Name	Performing Lab	Test Link	Date Effective	Target Resolution Date
LAB1110	Vitamin K	Mayo	Vitamin K	2/13/2026	TBD

Comments: Due to instrument issues, results will be delayed past the published turnaround time.

Reflex Test	HIV-1 Drug Resistance, Next Generation Sequencing	Mayo	HIV-1 Drug Resistance, Next Generation Sequencing	2/12/2026	TBD
-------------	---	------	---	-----------	-----

Comments: Due to instrument issues, results will be delayed past the published turnaround time.

LAB7117	Hepatitis C Virus Genotypic Antiviral Drug Resistance	Mayo	Hepatitis C Virus Genotypic Antiviral Drug Resistance	2/12/2026	TBD
---------	---	------	---	-----------	-----

Comments: Due to instrument issues, results will be delayed past the published turnaround time.

LAB814	CNS Demyelinating Disease Evaluation	Mayo	CNS Demyelinating Disease Evaluation, Serum	2/10/2026	TBD
--------	--------------------------------------	------	---	-----------	-----

Comments: Due to assay issues, test results will be delayed. Orders may take an additional 7 days to report.

LAB4632	Neuromyelitis Optica (NMO)/Aquaporin-4-IgG	Mayo	Neuromyelitis Optica (NMO)/Aquaporin-4-IgG	2/10/2026	TBD
---------	--	------	--	-----------	-----

Comments: Due to assay issues, test results will be delayed.

LAB7491	Myelin Oligodendrocyte Glycoprotein Antibody with Reflex to Titer	Mayo	Myelin Oligodendrocyte Glycoprotein Antibody with Reflex to Titer	2/10/2026	TBD
---------	---	------	---	-----------	-----

Comments: Due to assay issues, test results will be delayed.

Lab4251	Anti-IgE Receptor Antibody	Mayo	Anti-IgE Receptor Antibody	1/30/2026	TBD
<i>Comments: Due to reagent issues, test results will be delayed.</i>					
LAB000	Antimicrobial Susceptibility Panel, Yeast, Varies	Mayo	Antimicrobial Susceptibility Panel, Yeast, Varies	12/2/2025	TBD
<i>Comments: Due to reagent performance concerns, turnaround times will be extended. Specimens will now be sent to Warde for testing until further notification.</i>					