MERCYONE

Test Updates & Delays

Test Updates of 10/30/2026						
Test Code	**Test Name**	**Performing Lab**	**Test Link**	**Date Effective**	**CPT**	**Client Price**
LAB4631	Neuromyelitis Optica, Aquaporin-4-IGG, CSF	Mayo	Neuromyelitis Optica, Aquaporin-4-IGG, CSF	10/22/2026	86053	$237.00 Additional charges may be applied for reflex testing.
Comment: Orderable routing to Mayo.						
LAB5548	Culture Group B Strep with Reflex To Susceptibility	MODM	Culture Group B Strep with Reflex to Susceptibility	10/7/2026	87081	$33.50 Additional charges may be applied for reflex testing.
Comments: New orderable with MercyOne Des Moines Laboratory for patients allergic to penicillin.						
LAB4646	Oxalate	Mayo	Oxalate	10/14/2026	83945	$78.00
Comments: New orderable with Mayo.						
LAB4095	Admark Phospho-Tau, Total-Tau A Beta42, CSF	Quest	Admark Phospho-Tau, Total-Tau A Beta42, CSF	10/14/2026	82234, 84939, 84394	$1,470.00
Comments: New orderable with Quest.						
LAB4691	Procollagen Type 1 Intact N-Terminal Propeptide	Mayo	Procollagen Type 1 Intact N-Terminal Propeptide	11/5/2026	NA	NA
Comments: On November 5, 2026, orderable will become obsolete due to the updated methodology for this assay. A new orderable with Mayo will be coming soon.						

MERCYONE

Test Updates & Delays

Test Delays of 10/30/2026					
Test Code	**Test Name**	**Performing Lab**	**Test Link**	**Date Effective**	**Target Resolution Date**
LAB1033	Histamine	Warde	Histamine	10/5/2026	TBD
Comments: Unexpected volume causing temporary delay.					
LAB4327	Copper RBC	Warde	Copper RBC	10/26/2026	11/16/2026
Comments: Testing is ongoing but estimated completion date is extended due to intrument/supply issues.					
LAB7114	Ganglioside Antibody Panel	Mayo	Ganglioside Antibody Panel	10/21/2026	TBD
Comments: Effective immediately; orderable is on delay due to instrument issues.					
LAB180	Angiotensin Converting Enzyme, CSF	Mayo	Angiotensin Converting Enzyme, CSF	10/5/2026	TBD
Comments: Effective Immediately, results for Angiotensin Converting Enzyme, CSF are delayed due to reagent backorder. Specimens will be held, stabilized, and will be tested as soon as testing has resumed.					
LAB7969	Toxocara Antibody, IgG	Mayo	Toxocara Antibody, IgG	9/25/2026	TBD
Comments: Due to kits on backorder, Toxocara Antibody IgG is down effective immediately with no recommended alternative test.					
LAB1202	Hypersensitivity Pneumonitis Profile	Mayo	Hypersensitivity Pneumonitis Profile	7/22/2026	5/22/2027
Comments: Due to reagent issues, Aureobasidium pullulans, IgG Antibody, will not be reported. The CPT code will be updated to 86001 X 7 to reflect this change. The absence of anti-Aureobasidium pullulans IgG does not limit the clinical relevance of the HP antibody panel in the evaluation of at-risk patients. This change is expected to last approximately 6-10 months. Another update will be provided when full testing resumes.					
LAB564	Stone Analysis	Mayo	Stone Analysis	8/5/2026	TBD
Comments: Due to equipment issues, turnaround time may be temporarily extended up to 12 days. To help optimize TAT, please ensure kidney stones are thoroughly dried and cleaned prior to shipping.					